

SILCA DUST: HOW MUCH SILCA?

WORKING TOGETHER TO BEAT OCCUPATIONAL CANCER





GRANITE 20-45%

CONCRETE/MORTAR 25–70%



Plastic composites 19–90%

5ANDSTONE 70–90%



SHALE 40-60%

SLATE 20–40%

www.notimetolose.org.uk/networkrail

Follow the campaign at twitter.com/_NTTL

iosh

In association with



SILCA DUST: FAST FACTS

WORKING TOGETHER TO BEAT OCCUPATIONAL CANCER





900
PEOPLE GET
LUNG CANCER
FROM
SILICA DUST
A YEAR IN
BRITAIN
7,000
PEOPLE GET
LUNG CANCER
FROM
SILICA DUST

A YEAR IN THE EU

Don't breathe in dust – cut the risk of emphysema, silicosis and lung cancer



The **most** you should breathe in during a day **after** using the right controls is shown next to the coin. This is one 40,000th of a teaspoon of silica dust*

www.notimetolose.org.uk/networkrail

Follow the campaign at twitter.com/_NTTL



In association with





THE TELLTALE SIGNS OF LUNG CANCER

WORKING TOGETHER TO BEAT OCCUPATIONAL CANCER



KNOW THE POTENTIAL SYMPTOMS
OF LUNG CANCER, ESPECIALLY IF YOU
ARE OR HAVE BEEN A SMOKER OR
HAVE WORKED WITH DUSTS SUCH
AS SILICA.

- a persistent cough for more than a few weeks or a change in a cough you have had for some time

 coughing up phlegm with spots of blood in it

- shortness of breath
- a pain in the chest or shoulder that won't go away
- appetite loss
- fatique
- sudden or unexpected weight loss

TTTTTT

A WEEK
DIE FROM
SILICA DUST
EXPOSURE
AT WORK IN
BRITAIN

MOST OF THE

43,000

LUNG CANCERS

DIAGNOSED EACH

YEAR IN THE UK

ARE DOWN

TO SMOKING,

BUT ABOUT

900 CASES

ARE CAUSED BY
EXPOSURE TO
SILICA DUST
AT WORK

Lung cancer has a **low survival rate** because over two thirds of patients are diagnosed late, when treatment to cure it isn't possible.

iosh

In association with



www.notimetolose.org.uk/networkrail

Follow the campaign at twitter.com/_NTTL